



☐ Plurals

Default operator:  ☒ Highlight all hit terms initially

```
134 and link$
```

Failed



	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
22	BRS	L22	55252	box near type transmission near2 li	USPA T	2004/09/0 3 07:13		
23	BRS	L23	58208	box near2 type transmission near2 li	USPA T	2004/09/0 3 07:13		
24	BRS	L24	3	box near2 type with transmission near2 li	USPA T	2004/09/0 3 07:15		
25	IS&R	L25	275	(296/155).CCLS.	USPA T; U	2004/09/0 3 07:17		
26	BRS	L26	14	125 and chain	USPA T	2004/09/0 3 07:18		
27	BRS	L27	42	125 and link	USPA T	2004/09/0 3 07:18		
28	BRS	L28	5	125 and cable near2 link	USPA T	2004/09/0 3 07:18		
29	BRS	L29	150	H02G011/00.ipc.	USPA T	2004/09/0 3 07:44		
30	BRS	L30	2811	H02G011/00.ipc.	JPO; DERW	2004/09/0 3 07:44		
31	BRS	L32	344	130 and chain	JPO; DERW	2004/09/0 3 07:45		
32	BRS	L33	3	131 and 132	JPO; DERW	2004/09/0 3 07:45		
33	BRS	L31	47	130 and ribbon	JPO; DERW	2004/09/0 3 07:51		
34	BRS	L34	154	130 and flat near2 cable	JPO; DERW	2004/09/0 3 07:51		
35	BRS	L35	4	134 and link\$	JPO; DERW	2004/09/0 3 07:52		

EAST - [golf cart:2]

File View Edit Tools Window Help

☒ L12: (1) ("6215068").PN.  
☒ L13: (1) 12 and flat near2 cable  
☒ L14: (1) 12 and flat adj2 cable  
☒ L15: (565) (191/12R).CCLS.  
☒ L16: (52) (191/12C).CCLS.  
☒ L17: (14) 115 and ribbon  
☒ L18: (4) 116 and ribbon  
☒ L19: (1) 116 and flat near2 cable  
☒ L20: (14) 115 and flat near2 cable  
☒ L21: (59) box near3 transmission near2 line  
☒ L22: (55252) box near type transmission near2 line  
☒ L23: (58208) box near2 type transmission near2 line  
☒ L24: (3) box near2 type with transmission near2 line  
☒ L25: (275) (296/155).CCLS.  
☒ L26: (14) 125 and chain  
☒ L27: (42) 125 and link  
☒ L28: (5) 125 and cable near2 link  
☒ L29: (150) H02G011/00.ipc.  
☒ L30: (2811) H02G011/00.ipc.  
☒ L32: (344) 130 and chain  
☒ L33: (3) 131 and 132  
☒ L31: (47) 130 and ribbon  
☒ L34: (154) 130 and flat near2 cable  
☒ L35: (4) 134 and link\$

Failed

Search List Browse Queue Clear

DBs JPO: DERWENT Plurals

Default operator: OR Highlight all hit terms initially

134 and link\$

Drafts  
Pending  
Active  
Failed  
Saved  
Favorites  
Tagged (47)  
UDC  
Queue  
Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5332865 A	19940726	9	Line guiding assembly	174/99E
34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4858424 A	19890822	5	Variable radius cable carrier	59/78.1
35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4833876 A	19890530	31	Carrier for cables and the like	59/78.1
36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4658577 A	19870421	7	Self-supporting cable carrier	59/78.1
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4392344 A	19830712	8	Chain-link cable carrier	59/78.1
38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6215068 B1	20010410	23	Line guiding assembly	174/68.
39	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4988838 A	19910129	8	Line protecting apparatus	191/12C
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4769985 A	19880913	6	Guide chain	59/78.1
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4672805 A	19870616	5	Guide chain for guiding energv lines	59/78.1
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5877936 A	19990302	11	Expansion structure for door mounted circuit bo	361/600
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5343989 A	19940906	13	Reduced wear cable carrier and pads	191/12R
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5411443 A	19950502	12	Dragchain substitute	474/145
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6682353 B2	20040127	9	Connection assembly for connecting an electric	439/34
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6076883 A	20000620	6	Electrical-cable system for motor-vehicle slidi	296/155
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	EP 581162 A	19940202	8	Traction-chain substitute for reciproc	

NUM



☒ L6: (633) (174/117F).CCLS.  
☒ L7: (417) (174/117FF).CCLS.  
☒ L8: (0) ("12and16").PN.  
☒ L9: (0) 12 and 16  
☒ L10: (0) 12 and 17  
☒ L11: (0) ("12and17").PN.  
☒ L2: (237) (59/78.1).CCLS.  
☒ L12: (1) ("6215068").PN.  
☒ L13: (1) 12 and flat near2 cable  
☒ L14: (1) 12 and flat adj2 cable  
☒ L15: (565) (191/12R).CCLS.  
☒ L16: (52) (191/12C).CCLS.  
☒ L17: (14) 115 and ribbon  
☒ L18: (4) 116 and ribbon  
☒ L19: (1) 116 and flat near2 cable  
☒ L20: (14) 115 and flat near2 cable  
☒ L21: (59) box near3 transmission near2 line  
☒ L22: (55252) box near type transmission near2 line  
☒ L23: (58208) box near2 type transmission near2 line  
☒ L24: (3) box near2 type with transmission near2 line  
☒ L25: (275) (296/155).CCLS.  
☒ L26: (14) 125 and chain  
☒ L27: (42) 125 and link  
☒ L28: (5) 125 and cable near2 link

☒ Failed

    
 USPAT: US-PGPUB


☒ Highlight all hit terms initially

296/155



- ☒ Drafts
- ☐ Pending
- ☒ Active
- ☒ Failed
- ☒ Saved
- ☒ Favorites
- ☒ Tagged (46)
- ☒ UDC
- ☒ Queue
- ☒ Trash

	U	I	Document ID	Issue Dat	Page	Title	Current
32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6457767 B1	20021001	9	Motor vehicle having a load carrying post	296/208
33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5332865 A	19940726	9	Line guiding assembly	174/99E
34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4858424 A	19890822	5	Variable radius cable carrier	59/78.1
35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4833876 A	19890530	31	Carrier for cables and the like	59/78.1
36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4658577 A	19870421	7	Self-supporting cable carrier	59/78.1
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4392344 A	19830712	8	Chain-link cable carrier	59/78.1
38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6215068 B1	20010410	23	Line guiding assembly	174/68.
39	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4988838 A	19910129	8	Line protecting apparatus	191/12C
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4769985 A	19880913	6	Guide chain	59/78.1
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4672805 A	19870616	5	Guide chain for guiding energv lines	59/78.1
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5877936 A	19990302	11	Expansion structure for door mounted circuit bo	361/600
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5343989 A	19940906	13	Reduced wear cable carrier and pads	191/12R
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5411443 A	19950502	12	Dragchain substitute	474/145
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6682353 B2	20040127	9	Connection assembly for connecting an electric	439/34
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6076883 A	20000620	6	Electrical-cable system for motor-vehicle slidi	296/155













```


L6: (633) (174/117F).CCLS.
L7: (417) (174/117FF).CCLS.
L8: (0) ("l2andl6").PN.
L9: (0) l2 and l6
L10: (0) l2 and l7
L11: (0) ("l2andl7").PN.
L12: (237) (59/78.1).CCLS.
L13: (1) ("6215068").PN.
L14: (1) l2 and flat near2 cable
L15: (1) l2 and flat adj2 cable
L16: (565) (191/12R).CCLS.
L17: (52) (191/12C).CCLS.
L18: (14) l15 and ribbon
L19: (4) l16 and ribbon
L20: (1) l16 and flat near2 cable
L21: (14) l15 and flat near2 cable
L22: (59) box near3 transmission near2 line
L23: (55252) box near type transmission near2 line
L24: (58208) box near2 type transmission near2 line
L25: (3) box near2 type with transmission near2 line
L26: (275) (296/155).CCLS.
L27: (14) l25 and chain
L28: (42) l25 and link
L29: (5) l25 and cable near2 link

```

 Failed

-  Drafts
-  Pending
-  **Active**
-  Failed
-  Saved
-  Favorites
-  Tagged (46)
-  UDC
-  Queue
-  Trash


	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
1	BRS	L1	424	59/78.1	USPA T; U	2004/09/03 05:55		
2	BRS	L3	9	12 and (flat or ribbon) with cable	USPA T	2004/09/03 06:04		
3	BRS	L4	1184	174/\$.ccls. and ribbon	USPA T	2004/09/03 06:04		
4	BRS	L5	371	174/\$.ccls. and ribbon near2 cable	USPA T	2004/09/03 06:07		
5	IS&R	L6	633	(174/117F).CCLS.	USPA T	2004/09/03 06:07		
6	IS&R	L7	417	(174/117FF).CCLS.	USPA T	2004/09/03 06:08		
7	IS&R	L8	0	("12and16").PN.	USPA T	2004/09/03 06:08		
8	BRS	L9	0	12 and 16	USPA T	2004/09/03 06:08		
9	BRS	L10	0	12 and 17	USPA T	2004/09/03 06:08		
10	IS&R	L11	0	("12and17").PN.	USPA T	2004/09/03 06:08		
11	IS&R	L2	237	(59/78.1).CCLS.	USPA T; U	2004/09/03 06:21		
12	IS&R	L12	1	("6215068").PN.	USPA T; U	2004/09/03 06:34		
13	BRS	L13	1	12 and flat near2 cable	USPA T	2004/09/03 06:34		
14	BRS	L14	1	12 and flat adj2 cable	USPA T	2004/09/03 07:05		
15	IS&R	L15	565	(191/12R).CCLS.	USPA T	2004/09/03 07:06		














```

L6: (633) (174/117F).CCLS.
L7: (417) (174/117FF).CCLS.
L8: (0) ("l2andl6").PN.
L9: (0) l2 and l6
L10: (0) l2 and l7
L11: (0) ("l2andl7").PN.
L2: (237) (59/78.1).CCLS.
L12: (1) ("6215068").PN.
L13: (1) l2 and flat near2 cable
L14: (1) l2 and flat adj2 cable
L15: (565) (191/12R).CCLS.
L16: (52) (191/12C).CCLS.
L17: (14) l15 and ribbon
L18: (4) l16 and ribbon
L19: (1) l16 and flat near2 cable
L20: (14) l15 and flat near2 cable
L21: (59) box near3 transmission near2 line
L22: (55252) box near type transmission near2 line
L23: (58208) box near2 type transmission near2 line
L24: (3) box near2 type with transmission near2 line
L25: (275) (296/155).CCLS.
L26: (14) l25 and chain
L27: (42) l25 and link
L28: (5) l25 and cable near2 link

```

 Failed



-  Drafts
-  Pending
-  **Active**
-  Failed
-  Saved
-  Favorites
-  Tagged (46)
-  UDC
-  Queue
-  Trash

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
15	IS&R	L15	565	(191/12R).CCLS.	USPA T	2004/09/0 3 07:06		
16	IS&R	L16	52	(191/12C).CCLS.	USPA T	2004/09/0 3 07:06		
17	BRS	L17	14	115 and ribbon	USPA T	2004/09/0 3 07:09		
18	BRS	L18	4	116 and ribbon	USPA T	2004/09/0 3 07:10		
19	BRS	L19	1	116 and flat near2 cable	USPA T	2004/09/0 3 07:10		
20	BRS	L20	14	115 and flat near2 cable	USPA T	2004/09/0 3 07:11		
21	BRS	L21	59	box near3 transmission near2 li	USPA T	2004/09/0 3 07:13		
22	BRS	L22	55252	box near type transmission near2 li	USPA T	2004/09/0 3 07:13		
23	BRS	L23	58208	box near2 type transmission near2 li	USPA T	2004/09/0 3 07:13		
24	BRS	L24	3	box near2 type with transmission near2 li	USPA T	2004/09/0 3 07:15		
25	IS&R	L25	275	(296/155).CCLS.	USPA T; U	2004/09/0 3 07:17		
26	BRS	L26	14	125 and chain	USPA T	2004/09/0 3 07:18		
27	BRS	L27	42	125 and link	USPA T	2004/09/0 3 07:18		
28	BRS	L28	5	125 and cable near2 link	USPA T	2004/09/0 3 07:18		

Search	List	Browse	Queue	Clear
DBs	USPAT: US-PGPUB			
<input checked="" type="checkbox"/> Highlight all hit terms initially				
296/155				
<div></div>				

 Failed

	U	1	Document ID	Issue Dat	Page	Title	Current
32	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6457767 B1	20021001	9	Motor vehicle having a load carrying post	296/208
33	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5332865 A	19940726	9	Line guiding assembly	174/99E
34	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4858424 A	19890822	5	Variable radius cable carrier	59/78.1
35	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4833876 A	19890530	31	Carrier for cables and the like	59/78.1
36	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4658577 A	19870421	7	Self-supporting cable carrier	59/78.1
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4392344 A	19830712	8	Chain-link cable carrier	59/78.1
38	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6215068 B1	20010410	23	Line guiding assembly	174/68.
39	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4988838 A	19910129	8	Line protecting apparatus	191/12C
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4769985 A	19880913	6	Guide chain	59/78.1
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4672805 A	19870616	5	Guide chain for guiding energv lines	59/78.1
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5877936 A	19990302	11	Expansion structure for door mounted circuit bo	361/600
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5343989 A	19940906	13	Reduced wear cable carrier and pads	191/12R
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5411443 A	19950502	12	Dragchain substitute	474/145
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6682353 B2	20040127	9	Connection assembly for connecting an electric	439/34
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6076883 A	20000620	6	Electrical-cable system for motor-vehicle slidi	296/155

EAST - [golf cart:2]

File View Edit Tools Window Help

Drafts

- ISNR:
- BRS:
- BRS: bumper with bracket with
- BRS:
- BRS:
- BRS: bipart\$
- BRS: 11 and
- BRS: 17 and

Pending

Active

- L1: (424) 59/78.1
- L3: (9) 12 and (flat or ribbon) with cable
- L4: (1184) 174/\$.ccls. and ribbon
- L5: (371) 174/\$.ccls. and ribbon near2 cable
- L6: (633) (174/117F).CCLS.
- L7: (417) (174/117FF).CCLS.
- L8: (0) ("12and16").PN.
- L9: (0) 12 and 16
- L10: (0) 12 and 17
- L11: (0) ("12and17").PN.
- L2: (237) (59/78.1).CCLS.
- L12: (1) ("6215068").PN.
- L13: (1) 12 and flat near2 cable
- L14: (1) 12 and flat adj2 cable

Search List Browse Queue Clear

DBs USPAT ☐ Plurals

Default operator: OR ☒ Highlight all hit terms initially

12 and flat adj2 cable

Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error I
BRS	L1	424	59/78.1	USPA	2004/09/0		
BRS	L3	9	12 and (flat or ribbon) with cable	USPA	2004/09/0		
BRS	L4	1184	174/\$.ccls. and ribbon	USPA	2004/09/0		
BRS	L5	371	174/\$.ccls. and ribbon near2 cable	USPA	2004/09/0		
IS&R	L6	633	(174/117F).CCLS.	USPA	2004/09/0		
IS&R	L7	417	(174/117FF).CCLS.	USPA	2004/09/0		
IS&R	L8	0	("12and16").PN.	USPA	2004/09/0		
BRS	L9	0	12 and 16	USPA	2004/09/0		
BRS	L10	0	12 and 17	USPA	2004/09/0		
IS&R	L11	0	("12and17").PN.	USPA	2004/09/0		
IS&R	L2	237	(59/78.1).CCLS.	USPA	2004/09/0		
IS&R	L12	1	("6215068").PN.	USPA	2004/09/0		
BRS	L13	1	12 and flat near2 cable	USPA	2004/09/0		
BRS	L14	1	12 and flat adj2 cable	USPA	2004/09/0		

EAST - [golf cart:2]

File View Edit Tools Window Help

Pending

Active

- L1: (9) "6174020"
- L2: (1) ("6174020").PN.
- L3: (47) (("4793157") or ("4886336") or ("5824959") or ("1367909") or ("59
- L4: (49) (("1899474") or ("5739474") or ("5901438") or ("6053090") or ("60
- L5: (48) (("4589319") or ("4596428") or ("4759487") or ("4765708") or ("47
- L6: (181) 296/\$.ccls. and cable near2 guide
- L7: (47) (("4531921") or ("5746025") or ("4367909") or ("4793157") or ("48

Failed

- (0) ("296/214.ccls.-296/224.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.
- (0) ll and (stop adj2 block))
- (0) M.E.D.
- (0) ("200/\$.ccls.").CCLS.
- (0) ("188/\$.ccls.").CCLS.
- (0) ("296/\$.ccls.").CCLS.
- (4) golf near2 cart with solar near2 cell\$
- (0) 296/110.02.ccls.-296/100.05.ccls.
- (0) ("(4662115or4919473or5536060or5924760or5944373or6068327).pn.").PN.
- (0) (296/146.5.ccls.).CCLS.

Saved

- (199) (("49/26.ccls.") or ("49/28.ccls.")).CCLS.
- (1) ("0000001").PN.

Search List Browse

DBs USPAT

☒ Highlight all hit terms initially

4413445  
4127170  
1528910  
4766696  
4808034  
4890957  
4900265  
4900274  
4906121  
4975717  
5390513  
5127327  
5635621  
5764814  
5947642  
6106210  
5733168  
4317002  
1161519  
(487997  
4593499  
4997257

Drafts

Pending

Active

- L1: (9) "6174020"
- L2: (1) ("6174020").PN.
- L3: (47) (("4793157") or ("4886336") or ("5824959") or ("1367909") or ("59
- L4: (49) (("1899474") or ("5739474") or ("5901438") or ("6053090") or ("60
- L5: (48) (("4589319") or ("4596428") or ("4759487") or ("4765708") or ("47
- L6: (181) 296/\$.ccls. and cable near2 guide
- L7: (47) (("4531921") or ("5746025") or ("4367909") or ("4793157") or ("48

Failed

Saved

Favorites

Tagged (29)

UDC

Queue

Trash

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error I
1	BRS	L1	9	"6174020"	USPA	2004/09/02 12:18		
2	IS&R	L2	1	("6174020").PN.	USPA	2004/09/02 12:47		
3	IS&R	L3	47	(("4793157") or ("4886336") or ("5824959") or ("1367909") or ("5901438") or ("6053090") or ("60	USPA	2004/09/02 12:54		
4	IS&R	L4	49	(("1899474") or ("5739474") or ("5901438") or ("6053090") or ("60	USPA	2004/09/02 12:56		
5	IS&R	L5	48	(("4589319") or ("4596428") or ("4759487") or ("4765708") or ("47	USPA	2004/09/02 13:16		
6	BRS	L6	181	296/\$.ccls. and cable near2 guide	USPA	2004/09/02 13:32		
7	IS&R	L7	47	(("4531921") or ("5746025") or ("4367909") or ("4793157") or ("48	USPA	2004/09/02 13:32		

Ready

NUM



☒ Active

- 
- Search List Browse Queue Clear
- DBs USPAT ☐ Plurals
- Default operator: OR ☒ Highlight all hit terms initially
- 18 and link

```

(0) ("296/214.ccls.-296/224.ccls.").CCLS.
(0) ("296/$.ccls.").CCLS.
(0) ("296/$.ccls.").CCLS.
(0) ll and (stop adj2 block))
(0) M.E.D.
(0) ("200/$.ccls.").CCLS.
(0) ("188/$.ccls.").CCLS.
(0) ("296/$.ccls.").CCLS.
(4) golf near2 cart with solar near2 cell$
(0) 296/110.02.ccls.-296/100.05.ccls.
(0) ("(4662115or4919473or5536060or5924760or5944373or6068327
(0) (296/146.5.ccls.).CCLS.

```

  Saved

⌚ Pending

L1:

- |    |   |   |                |          |    |   |         |
|----|---|---|----------------|----------|----|---|---------|
| 17 | □ | ☑ | US 6071591     | 20000606 | 8  | Method for making a motor vehicle dashboard     | 428/132 |
| 18 | □ | ☑ | US 5622402     | 19970422 | 10 | Panel with integral energy absorber and air     | 296/191 |
| 19 | □ | ☑ | US 2224494     | 19401210 | 3  | Pressure relief means for automobiles           | 137/527 |
| 20 | □ | ☑ | US 6705672     | 20040316 | 31 | Vehicular air-conditioning ducts                | 296/208 |
| 21 | □ | ☑ | US 20040135400 | 20040715 | 25 | Cross member and manufacturing method th        | 296/193 |
| 22 | □ | ☑ | US 6668457     | 20031230 | 10 | Heat-activated structural foam reinfor          | 29/897. |
| 23 | □ | ☑ | US 6622452     | 20030923 | 10 | Insulated concrete wall construction method and | 52/742. |
| 24 | □ | ☑ | US 6164021     | 20001226 | 7  | Hip and ridge sealing and attachment system a   | 52/43   |
| 25 | □ | ☑ | US 5180885     | 19930119 | 5  | Electrostatic charge dissipating electrical     | 174/36  |
| 26 | □ | ☑ | US 5208889     | 19930504 | 5  | Optical fiber ribbon cable and assembly ther    | 385/114 |
| 27 | □ | ☑ | US 6036259     | 20000314 | 7  | Motor vehicle roof with cable connection        | 296/216 |
| 28 | □ | ☑ | US 6781058     | 20040824 | 10 | Cable guide assembly for a vehicle sliding d    | 174/72A |
| 29 | □ | ☑ | US 6408888     | 20020625 | 29 | Energy conducting guide chain                   | 138/120 |
| 30 | □ | ☑ | US 6386620     | 20020514 | 16 | Electricity feeding device for vehicular sl     | 296/155 |
| 31 | □ | ☑ | US 6340199     | 20020122 | 16 | Electricity feeding device for vehicular sl     | 296/155 |
| 32 | □ | ☑ | US 6290283     | 20010918 | 12 | Drive device for vehicular slide doors          | 296/155 |

  Saved

Tagged (32)

Queue

Trash

\_\_\_\_\_

Search List Browse Queue Clear

DBs USPAT ☐ Plurals

Default operator: OR ☒ Highlight all hit terms initially

18 and link

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error I
1	BRS	L1	9	"6174020"	USPA T	2004/09/0 2 12:18		
2	IS&R	L2	1	("6174020").PN.	USPA T	2004/09/0 2 12:47		
866336") or ("5824959") or ("1367909") or ("5902146") or ("5906503")...								
4	IS&R	L4	49	(("1899474") or ("5739474") or ("5901	USPA T	2004/09/0 2 12:56		
5	IS&R	L5	48	(("4589319") or ("4596428") or ("4759	USPA T	2004/09/0 2 13:16		
6	BRS	L6	181	296/\$.cccls. and cable near2 quide	USPA T	2004/09/0 2 13:32		
7	IS&R	L7	47	(("4531921") or ("5746025") or ("4367	USPA T	2004/09/0 2 13:34		
8	IS&R	L8	275	(296/155).CCLS.	USPA T; U	2004/09/0 2 13:35		
9	BRS	L9	42	18 and link	USPA T	2004/09/0 2 13:35		